Claire E Whitehead BVM&S MS FHEA MRCVS Diplomate ACVIM (Large Animal) RCVS Specialist in Camelid Health and Production

The Alpaca Vet

The Old Barracks, Lady Grove, Goring Heath, Reading, RG8 7RU admin@ukalpacavet.com
Tel: 01491 680313

Camelid-Specific Faecal Testing Service

The Modified Stoll's method will be used for all faecals: this is the most sensitive test available for detecting worm egg and coccidia burdens in camelids. A sample size of 5g is ideal for submission (minimum 2g), equivalent to 4-6 adult faecal beans. [Photos of how this amount looks in a sample pot are provided on our website.] This test does not routinely detect fluke eggs if present: if you have specific concerns about liver fluke, the sedimentation test is used and can be requested separately – there is an additional charge per sample.

Instructions for submission:

- **CALL OR EMAIL FIRST** to book a slot for us to receive samples!! This ensures samples can be processed on the day of arrival and reported efficiently.
- Collect samples from individual alpacas: no pooled samples.
- Collect samples that have been **freshly voided** (and observed!) so that you know who they are from.
- **Please body condition score** the alpaca or llama at the time of collection (I will assume that you are using a scale of 1-10 unless you state otherwise so please make this clear). Including the BCS information on your submission allows a more meaningful interpretation of the results. Please also note on the submission form if you have any particular concerns (eg recent weight loss, diarrhoea, soft stool etc...) about individual animals or groups. Include information about worming/anticoccidial history and specific recent treatments (with dates).
- **Place the sample into a labelled sample pot**. Label the sample with the animal identification (name or number).
- Place all samples inside the Specimen bag provided. If sending liquid samples, include sufficient absorbent material in the packaging to absorb any spillages.
- Complete submission form and include in the document pouch of the specimen bag.
- Place specimen bag and documents inside our pre-labelled box for posting.
 - o Don't forget to complete the sender details box on the front
- Send samples by Special Delivery for next day delivery at the lab (no need to select the option for before 9am!) avoids sample deterioration.

TIPS for Faecal Screening

- **Do not pool samples** from multiple individuals because the information obtained by pooling samples is not useful. I will not process samples pooled from multiple individuals.
- For faecal screening, you should test **10% of the herd or 10 animals, whichever is the greatest number**: if you have fewer than 10 animals test all of them. Note that the greater the proportion of animals tested, the better the quality of information obtained. Select individuals that are skinny, have been losing weight, or younger animals especially those aged 6-18 months these are more likely to have higher egg counts so you are more likely to see what is present in the herd.

Submission Form for Faecals: For OWNER Use

Client Information:

					1				
Owner Name:					Vet Name and Practice Name:				
Fai	rm Name and Ad	dress:							
Po	stcode:								
Owner phone number (required for lab queries):					Vet email address (required, a copy of the report will be sent to your vet):				
Em	nail address (requ	ired to receive your	report):						
		d Reason for S					1		
Spe	ecies: Alpaca/Llar	na/Other(specify	No. of an	imals or	ı farm:	No. of samples:	Date of sample collection:		
		□ Diagnostic or					ny recent worming/		
	r eening ? If diagn nical problem:	ostic, please prov	vide details o	of	anticoo	ccidial treatments (i	nclude dates):		
	F								
		Please enquire a			ino those	□ Sedimen	ntation test (liver fluke)		
Pieu	se indicate in co	miments below v	wnich sampi	ies regu	ire tilese	e tests			
							t smear (Crypto)		
Ind	<u>ividual Anima</u> Animal ID	<u>l Details:</u>				☐ Acid-fas			
<u>Ind</u>	ividual Anima Animal ID		BCS Out of 10	Age	Gende (M/F)	☐ Acid-fas	any concerns or recent ox if this is a <u>re-test</u> sample)		
<u>Ind</u>		l Details: Group Name	BCS		Gende	☐ Acid-fas	any concerns or recent		
		l Details: Group Name	BCS Out of 10		Gende	☐ Acid-fas	any concerns or recent		
1		l Details: Group Name	BCS Out of 10		Gende	☐ Acid-fas	any concerns or recent		
1 2		l Details: Group Name	BCS Out of 10 /10 /10		Gende	☐ Acid-fas	any concerns or recent		
1 2 3		l Details: Group Name	BCS Out of 10 /10 /10		Gende	☐ Acid-fas	any concerns or recent		
1 2 3 4		l Details: Group Name	BCS Out of 10 /10 /10 /10		Gende	☐ Acid-fas	any concerns or recent		
1 2 3 4		l Details: Group Name	BCS Out of 10 /10 /10 /10 /10		Gende	☐ Acid-fas	any concerns or recent		
1 2 3 4 5		l Details: Group Name	BCS Out of 10 /10 /10 /10 /10 /10		Gende	☐ Acid-fas	any concerns or recent		
1 2 3 4 5 6		l Details: Group Name	## BCS Out of 10		Gende	☐ Acid-fas	any concerns or recent		
1 2 3 4 5 6 7		l Details: Group Name	BCS Out of 10 /10 /10 /10 /10 /10 /10 /10		Gende	☐ Acid-fas	any concerns or recent		
1 2 3 4 5 6 7 8 9	Animal ID	Details: Group Name / Field name	## BCS Out of 10	Age	Gende (M/F)	☐ Acid-fas	any concerns or recent ox if this is a <u>re-test</u> sample)		
1 2 3 4 5 6 7 8 9	re-order another fa	Betails: Group Name / Field name ecal box please tick Mailing Kit (stand tick if ordering the	## Acs Out of 10	Age low. They	Gende (M/F)	Comments (treatments: tick be	fany concerns or recent ox if this is a <u>re-test</u> sample)		

	Animal ID	Group name / field name	BCS	Age	Gender (M/F)	Comments (any concerns or recent treatments: tick box if this is a <u>re-test</u> sample)	
11			/10			box if this is a <u>re-test</u> sample)	
12			/10				
13			/10				
14			/10				
15			/10				
16			/10				
17			/10	7			
18			/10				
19			/10		7/		
20			/10				
21			/10				
22			/10	77			
23			/10		237		
24			/10				
25			/10				
26			/10				
27			/10	19			
28			/10				
29			/10				
30			/10	d			
31			/10				
32			/10				
33			/10				
34			/10				